



ईस्टर्न कोलफील्ड्स लिमिटेड
EASTERN COALFIELDS LIMITED
(कोल इंडिया लिमिटेड की एक अनुषंगी)
(A Subsidiary of Coal India Ltd)
(भारत सरकार का उपक्रम)
(A Govt. of India Undertaking)
Dated: 23.04.2026

ECL/HQ/M&S/E-AUCTION/50

SUB: E-AUCTION OFFER

KIND ATTN: SHRI RITABRATA CHAKRABORTY, SR MANAGER

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE, KOLKATA –700091

FROM: GM/HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HERewith THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **30th of April, 2026**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

Post auction activities

Coal value and requisite documents are to be deposited **within a period of 10 working days** after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in road mode will be issued **within 7 days** after verification of coal value and documents submitted. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day. In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of rake, customers are advised for sequencing of rakes during endorsement/allotment.
- **Documents to be submitted for booking** - Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited:** Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.150 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.

विपणन एवं विक्रय, ईसीएल ♦ MARKETING & SALES, ECL

पंजीकृत कार्यालय / Regd. Office

सांकोतोड़िया, पो०-डिसेरगढ़, जिला : पश्चिम बर्द्धमान (प०ब०), पिन – 713333 ♦ Sanctoria. P.O. Dishergarh, Dist. Paschim Bardhaman (W.B.), PIN-713333
दूरभाष / Phone: 0341-2520209, ई-मेल/E-mail: hodsnnm.ecl@coalindia.in ♦ सीआईएन / CIN: U10101WB1975G01030295, वेबसाइट / Website: www.easterncoal.nic.in

Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity **(4000+130) 4130 tonnes** per rake in Rail mode. Consumers may maintain the financial coverage for this additional quantity of **130 tonnes** in the form of cash or bank guarantee until dispatching and invoicing of the rake. The additional coverage for **130 tonnes** along with coverage of **4000 tonne** is also to be deposited within 10 working days as per the scheme.

- **Process Fee:** In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding process.
- **Separate amount of advance:** The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.

Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- **Cancellation of Rakes: Reference is made to Clauses 4.2.2, 7.6,11.8,11.9,11.10 of updated CIL's e-Auction Scheme** in accordance with these clauses, if a bidder refuses to accept the coal offered for loading, **Coal Company has the right to cancel the e-Auction rake.** In such cases, the Earnest Money Deposit (EMD) will be forfeited as provisions in the e-Auction Scheme.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- **Steam loading will be done mechanically. Additional Selective Loading Charges will be levied for the applicable sources for selective loading of coal.**
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22nd Dec 2022. then last date of deposition of Bid Security in the form of BG is 19th Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -
 - Bank Name: ICICI Bank
 - Account No.: 029105006160
 - Cust ID: 582866895
 - Bank Branch IFSC Code: ICIC0000291
 - Unique Identifier for Field 7037:- ECL582866895
 - Alert for message type- Issuance & Amendment both (5017 & 5018 both).
- The requisite documents along with application may be sent in mail id Associatefin.ecl@coalindia.in within 2 working days of deposition of coal value.

GM (M&S)
ECL (HQ)

OFFERS FOR E-AUCTION SCHEDULED TO BE HELD ON 30TH OF APRIL, 2026.

Loading Points	Mode	Feeding Collieries	Grade	Size	Selective Loading Charges Applicability	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Siduli UG	Road	N/A	G5	-250 MM,STEAM	Applicable	3275	4094	2000	N/A	N/A	4316	Chora 7/9, 60 tes. Road Weighbridge
Lower Kenda UG	Road	N/A	G4	-250 MM,STEAM	Applicable	3557	4447	1000	N/A	N/A	4315	Lower Kenda Road WB, 60Te
Amritnagar UG	Road	N/A	G4	-250 MM,STEAM	Applicable	3557	4447	1000	N/A	N/A	4364	Amritnagar 60 tes. Road Weighbridge
Bejdih UG	Road	N/A	G5	-250 MM,STEAM	Applicable	3275	4094	500	N/A	N/A	4562	Bejdih Road WB, Cap: 60Te
Lakhimata UG	Road	N/A	W04	-250 MM,STEAM	Applicable	2890	3613	2500	N/A	N/A	4616	Lakhimata WB , Capacity: 60 Te.
Khoodia UG	Road	N/A	W04	-250 MM,STEAM	Applicable	2890	3613	1000	N/A	N/A	4618	Lakhimata WB , Capacity: 60 Te.
Shyampur B UG	Road	N/A	W04	-250 MM,STEAM	Applicable	2890	3613	2000	N/A	N/A	4617	Shyampur B WB , Capacity: 60 Te.
Badjna UG	Road	N/A	W04	-250 MM,STEAM	Applicable	2890	3613	2000	N/A	N/A	4612	Badjna WB , Capacity: 60 Te.
Hariajam UG (WIII)	Road	N/A	W03	-250 MM,STEAM	Applicable	3218	3701	2000	N/A	N/A	4615	Hariajam WB , Capacity: 60 Te.
Kumardhubi UG	Road	N/A	W04	-250 MM,STEAM	Applicable	2890	3613	600	N/A	N/A	4625	Barmuri WB , Capacity: 60 Te.
Rajmahal OC	Road	N/A	G11	-250 MM,STEAM	Applicable	2154	2154	100000	N/A	N/A	4712	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length- 14.3 m
HURA C OC	Road	N/A	G11	-100 MM,STEAM	NA	2154	2154	100000	N/A	N/A	4716	Linked WB - Hura C, Capacity 100 Te, Location- Near Hura C,
Rajmahal OC	Road	N/A	G13	-50 MM,ROM	NA	1716	1716	500000	N/A	N/A	4712	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length- 14.3 m
HURA C OC	Road	N/A	G12	-50 MM,ROM	NA	1801	1801	100000	N/A	N/A	4716	Linked WB - Hura C, Capacity 100 Te, Location- Near Hura C,

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Pandaveswar A	35000	G4	STEAM	3557	4447									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Khottadih UG	Road	N/A	G4	G4	-100 MM,STEAM	NA	3557	4447	15000	3557	N/A	N/A	4066	K'hottadih 100 tes. Road Weighbridge
SSAP	Rail	Khottadih UG Khottadih OC	G4	G4	-100 MM,STEAM	NA	3557	4447	20000	3557	80%-100% 0%-20%	SSAP	4001	PAW II 100 tes RAIL Weighbridge.

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Bankola A	14000	G4	STEAM	3557	4447									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Tilaboni UG	Road	N/A	G4	G4	-100 MM,STEAM	NA	3557	4447	10000	3557	N/A	N/A	4115	KUM-A & TILABONI ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
Bankola I Siding	RAIL	Shankarpur UG Tilaboni UG	G4	G4	-100 MM,STEAM	NA	3557	4447	4000	3557	0%-20% 80%-100%	RLB1	4001	Andal Rail Weighbridge 140 Te

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Bankola C	19000	G4	STEAM	3557	4447									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Shyamsunderpur UG	Road	N/A	G4	G4	-100 MM,STEAM	NA	3557	4447	15000	3557	N/A	N/A	4114	SSPUR ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
UKA IV (Bankola Line II)	RAIL	Bankola UG	G4	G4	-100 MM,STEAM	NA	3557	4447	4000	3557	0%-20%	RLB2	4001	Andal Railway Weigh Bridge: 140 TE
		Kumardihi A UG									0%-20%			
		Khandra UG									0%-20%			
		Shyamsundarpur UG									55%-75%			

Auction Floor														
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Bankola F	9000	G4	STEAM	3557	4447									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Kumardihi B UG	Road	N/A	G4	G4	-100 MM,STEAM	NA	3557	4447	5000	3557	N/A	N/A	4117	NAKRAKONDA KUM-B UG ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
POCP II	Rail	Nakrakonda Kumardihi OCP Nakrakonda Kumardihi-B CM	G4	G4	-100 MM,STEAM	NA	3557	4447	4000	3557	40%-60% 40%-60%	RWJ2	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Jhanjra B	10000	G4	STEAM	3557	4447									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Jhanjra UG (3&4 Incl)	Road	N/A	G4	G4	-250 MM,STEAM	Applicable	3557	4447	6000	3557	N/A	N/A	4162	3&4 Road WB; Capacity: 50/60 Te
PAWI POCP-I	RAIL	Jhanjra UG (MIC) Jhanjra UG (3&4)	G4	G4	-100 MM,STEAM	NA	3557	4447	4000	3557	80%-100% 0%-20%	RWJ1	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE

Auction Floor														
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Kajora B	7000	G3	STEAM	3719	4649									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
KhasKajora UG	Road	N/A	G3	G3	-250 MM,STEAM	Applicable	3719	4649	3000	3719	N/A	N/A	4218	Linked WB of Khas Kajora Colly., Cap: 60tes
UKA-II-MSPE	Rail	Parascole West	G4	G3	-250 MM,STEAM	Applicable	3557	4649	4000	3719	0%-20%	RLK2	4001	Andal Railway Weigh Bridge: 140 TE
		Parascole East									10%-30%			
		Central Kajora UG									0%-20%			
		KhasKajora UG					3719				10%-30%			
		Jambad UG									30%-50%			

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price									
Belbaid	25000	G5	STEAM	3275	4094									
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Narainkuri Highwall UG	Road	N/A	G5	G5	-100 MM,STEAM	NA	3275	4094	5000	3275	N/A	N/A	4371	Near Belbaid Siding, CAP: 50 Te
TOP-I (BL) / Belbaid	RAIL	Narainkuri Highwall UG	G5	G5	-100 MM,STEAM	NA	3275	4094	20000	3275	100%	SWKT	4001	SONACHARA Rail In Motion WB, CAP:140 TES

Auction Floor														
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges		Floor Price								
Sonepur Bazari	230000	G4	STEAM	3557		4447								
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Sonepur Bazari OC	Road	N/A	G4	G4	~100 MM,STEAM	NA	3557	4447	50000	3557	N/A	N/A	4262	SONEPUR PROJ. ROAD W.B., CAP: 60TE
PSBP	Rail	Sonepur Bazari OC	G4	G4	~100 MM,STEAM	NA	3557	4447	180000	3557	100%	PSBP	4001	PSBP RAIL WEIGHBRIDGE, CAP: 140 TE

Auction Floor															
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price										
Satgram-Sripur B	28000	G5	STEAM	3275	4094										
Offer Description															
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified /Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified /Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details	
Amkola OC	Road	N/A	G5	G5	~100 MM,STEAM	Applicable	3275	4094	8000	3275	N/A	N/A	4413	Near Nimcha Siding, Capacity-60 Te	
RNG-I	Rail	Amkola OC	G5	G5	~100 MM,STEAM	NA	3275	4094	20000	3275	80%-100%	NMCL	4001	Nimcha UP 140 MT Railway WB	
		Nimcha High Wall					3557	4447			0%-20%				
		Nimcha UG	0%-20%												
		Kalidaspur UG	0%-20%												

Auction Floor														
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges		Floor Price								
Satgram-Sripur C	6000	G4	STEAM	3557		4447								
Offer Description														
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
JK Nagar UG	Road	N/A	G4	G4	-250 MM,STEAM	Applicable	3557	4447	2000	3557	N/A	N/A	4418	Near JK Nagar Siding(50 MT Road WB)
DN-IB	Rail	Satgram Incline UG	G4	G4	-100 MM,STEAM	NA	3557	4447	4000	3557	0%-20%	JNCN	4001	J K Nagar Railway Weigh Bridge, Cap: 140TE
		Satgram Project UG									0%-20%			
		Chapuikhas UG									0%-20%			
		JK Nagar UG									0%-20%			
		Pure Searsole UG									0%-20%			
		Bhanora West Block UG									0%-20%			
		Bhanora OC									80%-100%			

Auction Floor															
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price										
Salanpur E	200000	W05	STEAM	1997	2497										
Offer Description															
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details	
Gourangdih OC	Road	N/A	W05	W05	-250 MM,STEAM	Applicable	1997	2497	100000	1992	N/A	N/A	4514	02No. 60Te WB	
Dalmiya Siding	RAIL	Gourangdih OC	W05	W05	-100 MM,STEAM	NA	1997	2497	100000	1992	100%	DEGS	4001	Dalmiya EIM WB, Cap: 140 tes	

Auction Floor															
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price										
Mugma D	9000	W04	STEAM	2890	3613										
Offer Description															
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Selective Loading Charges Applicability	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details	
Nirsa OC	Road	N/A	W04	W04	-250 MM,STEAM	Applicable	2890	3613	5000	2890	N/A	N/A	4620	Nirsha OC Weighbridge (Capacity 60MT)	
MMU IIIA / PMCS	RAIL	Rajpura OCP	G5	W04	-100 MM,STEAM	NA	3275	4094	4000	2890	30%-50%	PMCS	4001	Pandra Rail Weighbridge, Capacity: 100 MT	
		Lakhimata OC					0%-20%								
		Nirsa OC					20%-40%								
		Chapapur(II) OCP					50%-70%								