



ईस्टर्न कोलफील्ड्स लिमिटेड
EASTERN COALFIELDS LIMITED

(कोल इंडिया लिमिटेड की एक अनुषंगी)

(A Subsidiary of Coal India Ltd)

(भारत सरकार का उपक्रम)

(A Govt. of India Undertaking)

Dated: 31.01.2026

ECL/HQ/M&S/E-AUCTION/2205

SUB: E-AUCTION OFFER

KIND ATTEN: SHRI RITABRATA CHAKRABORTY, SR MANAGER

TO: M/S MJUNCTION SERVICES LTD, GODREJ WATER SIDE [3RD FLOOR], TOWER-1, PLOT-V, BLOCK- DP, SECTOR-V, SALT LAKE, KOLKATA –700091

FROM: GM/HOD (M&S), ECL, SANCTORIA.

PLEASE FIND ATTACHED HERewith THE OFFERS FOR E-AUCTION SCHEDULED TO BE HELD on **7th of February, 2026**. THE AUCTION IS TO BE HELD IN TERMS OF UPDATED CIL E-AUCTION SCHEME 2022.

YOU ARE REQUESTED TO DISPLAY THE OFFERS IN YOUR WEBSITE.

NOTICE FOR BIDDERS/ BUYERS OF COAL UNDER E-AUCTION

For terms and conditions of updated CIL E-Auctions Scheme 2022, prospective bidders are advised to visit the CIL's website.

Post auction activities

Coal value and requisite documents are to be deposited **within a period of 10 working days** after the closure of the auction (Customers are requested not to wait till the last date for deposition of coal value as any delay in transmission of coal value to ECL's Bank Account after the last date may not be considered). 10 working days would be reckoned as applicable to the ECL Office, Sanctoria. Sale Orders in road mode will be issued **within 7 days** after verification of coal value and documents submitted. Sale Orders in rail mode / consent of Railway programme will be issued after verification of coal value and documents submitted. It is desirable that the successful bidders deposit / submit requisite coal value / documents well within the stipulated date, so that Sale Orders/ consent of Rail programmes are issued within the stipulated date mentioned above. Thereafter, no request will be entertained. Depositing coal value and submission of documents beyond the stipulated time would be solely the onus of successful bidders and would be considered as failure on their part.

- Multiple loading sidings like PSBP has e-auction rake despatch capacity of 6 to 7 rakes per day and multiple rakes in same destination is causing hindrance in rake supply by Railway for not more than 2 rakes per day. In view of this Rail Customers are advised to keep alternative destination/Good shed siding for smooth liquidation of rakes due to hindrance/constraints in evacuation by Railways. To ensure faster liquidation of rake, customers are advised for sequencing of rakes during endorsement/allotment.
- **Documents to be submitted for booking** - Successful bidders are required to submit Sale intimation letter, customer's acceptance letter in their letter head, Debit advice from Bank / Acknowledgement copy of RTGS (duly signed by bank). However, for online payment, the bank statements should be authenticated by the successful bidders. In addition to above photo copy of ID & authorization letter also to be submitted within the stipulated dates mentioned above. The e-auction customers should also submit complete postal address in all respect i.e. Name of the customer or Factory, Road name, Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders are requested to follow the notice No.ECL/ KOL/ M&S/ 92D dated 06.05.2020 and another notice dated 19.08.2020 at the website of ECL under the head Our Business> Marketing & Sales> Notices> E Auction for detailed booking procedures.
- All new successful bidders are required to submit Photocopy of GSTN registration certificate alongwith the format circulated by ECL, duly filled in for incorporation in the system. Existing bidders should also ensure that their GSTN registration numbers are recorded at ECL.
- Presently, all the coal customers drawing coal under e-auction scheme are supposed to be registered under GSTN.
- Form 27 (C) has to be submitted once in a financial year by the customer willing to get benefit of TCS. The e-auction customers intend to take relief of TCS should submit the address of the factory and S.O would be issued in favour of that Factory only. The address should be complete in all respect i.e Name of the customer or Factory, Road name (if any), Village/Town, Dist, State, PIN code, Telephone No. Fax No. Mobile No.
- Successful bidders will be charged with applicable GST based on their Principal place of business as reflected in their GSTIN and will be reflected as billed to address in the invoices raised by ECL.
- If the same address comes within the same state from which coal is supplied then CGST & SGST will be charged and if above address of recipient falls in a different state from where coal is supplied then IGST will be levied.
- **Exact amount to be deposited:** Earnest Money Deposit (EMD), is now termed as Bid Security which is Rs.150 per tonne at present. The sum total of Bid Security and the balance amount deposited as advance by the coal customers against E-Auction sale should neither exceed nor be less than amount required to be deposited against quantity for which bidding has been done.

विपणन एवं विक्रय, ईसीएल ♦ MARKETING & SALES, ECL

पंजीकृत कार्यालय / Regd. Office

सांकोतोड़िया, पो०-डिसेरगढ़, जिला : पश्चिम बर्द्धमान (प०ब०), पिन – 713333 ♦ Sanctoria. P.O. Dishergarh, Dist. Paschim Bardhaman (W.B.). PIN-713333

दूरभाष / Phone: 0341-2520209, ई-मेल/E-mail: hodsnm.ecl@coalindia.in ♦ सीआईएन / CIN: U10101WB1975G01030295, वेबसाइट / Website: www.easterncoal.nic.in

Further the coal customers against E-Auction sale are advised to deposit the balance money (i.e. net of Bid Security) in one instalment only. The successful bidders are required to deposit financial coverage for the quantity **(4000+130) 4130 tonnes** per rake in Rail mode. Consumers may maintain the financial coverage for this additional quantity of **130 tonnes** in the form of cash or bank guarantee until dispatching and invoicing of the rake. The additional coverage for **130 tonnes** along with coverage of **4000 tonne** is also to be deposited within 10 working days as per the scheme.

- **Process Fee:** In addition, with the bid security, the Bidders shall also be required to submit a Process Fee, in cash through e-transfer, prior to participation in e-auction at the rate of Rs.20/- per ton for the intended bid quantity, inclusive of applicable taxes, with service provider for participation in e-auction. The Process fee shall be non-refundable to the extent of provisionally successful bid quantity in the First stage of bidding process.
- **Separate amount of advance:** The coal customers against E-Auction sale are advised to deposit the amount of advance separately bid-wise and source-wise against quantity of coal to be lifted mentioning the GSTIN separately.

Further the E-Auction coal customers are advised to deposit the advance Auction-wise Bid-wise/Source-wise so that separate advance receipt voucher can be issued for each bid/source. The advance to be paid should be rounded off to nearest Rs.100 (Rupees One Hundred) on higher side.

- **Cancellation of Rakes: Reference is made to Clauses 4.2.2, 7.6,11.8,11.9,11.10 of updated CIL's e-Auction Scheme** in accordance with these clauses, if a bidder refuses to accept the coal offered for loading, **Coal Company has the right to cancel the e-Auction rake.** In such cases, the Earnest Money Deposit (EMD) will be forfeited as provisions in the e-Auction Scheme.
- A statement showing amount to be deposited by the Successful bidders is available at Website of ECL and ECL HQ for convenience of the bidders.
- Steam loading will be done mechanically.
- Details of Bank to which the payment instruments are to be sent: Payment must be made through banking interface only of Axis Bank and ICICI Bank. No other mode of payment will be acknowledged. Relevant details are available in ECL website.
- This notice will supersede earlier notices displayed on ECL notice boards and/or website of the service providers.
- With the implementation of GST w.e.f. 01.07.2017 the necessary provisions of CGST Act, 2017, IGST Act, 2017, GST Compensation Cess Act, 2017 & other relevant Acts & Rules related to GST will be applicable on this sale orders from 01.07.2017. The bidders who are required to provide the GST details as per different Acts under GST are to provide GSTN particulars as per the format available on the ECL website before issuance of Sale Order.
- The bidders who intend to submit the Bid Security in the form of BG are required to submit through SFMS mode in addition to submission of original BG to the E-Auction Service Provider at least 3 working days from the date of auction. (Eg: If auction date is 22nd Dec 2022. then last date of deposition of Bid Security in the form of BG is 19th Dec 2022.). The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol.
- The bidders who intend to submit the financial coverage through BG in Rail mode are also required to submit through SFMS mode in addition to submission of original BG within 10 working days in this office.
- The BG should be drawn on any SFMS enabled schedule Bank located at Sanctoria/Asansol. SFMS details are as below: -
Bank Name: ICICI Bank
Account No.:- 029105006160
Cust ID: 582866895
Bank Branch IFSC Code: ICIC0000291
Unique Identifier for Field 7037:- ECL582866895
Alert for message type- Issuance & Amendment both (5017 & 5018 both).
- The requisite documents along with application may be sent in mail id Associatefin.ecl@coalindia.in within 2 working days of deposition of coal value.

GM (M&S)
ECL (HQ)

OFFERS FOR E-AUCTION SCHEDULED TO BE HELD ON 7TH OF FEBRUARY, 2026.

Loading Points	Mode	Feeding Collieries	Grade	Size	Notified price of representative grade incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Parascole (W) UG	Road	N/A	G4	-100 MM,STEAM	3549	4437	1000	N/A	N/A	4222	Parascole Road Weighbrige, CAP: 60 Te
Chora Block Inc UG	Road	N/A	G5	-100 MM,STEAM	3267	4084	2000	N/A	N/A	4320	Chora 7/9, 60 tes. Road Weighbridge
Dhemo main Pit UG	Road	N/A	G4	-100 MM,STEAM	3549	4437	1000	N/A	N/A	4568	Dhemomain Road WB, Cap: 60Te
Bejdih UG	Road	N/A	G5	-100 MM,STEAM	3267	4084	1000	N/A	N/A	4562	Bejdih Road WB, Cap: 60Te
Methani	Road	N/A	G4	-100 MM,STEAM	3549	4437	500	N/A	N/A	4563	Methani Road WB, Capacity: 60 Te.
Rajmahal OC	Road	N/A	G11	-250 MM,STEAM	2151	2151	100000	N/A	N/A	4712	Linked WB - Lalmatia, Capacity 50 Te, Location- Near lalmatia Colliery, Length- 14.3 m
HURA C OC	Road	N/A	G11	-100 MM,STEAM	2151	2151	100000	N/A	N/A	4716	Linked WB - Hura C, Capacity 100 Te, Location- Near Hura C,

Auction Floor					
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price
Pandaveswar C	14000	G4	STEAM	3549	4437

Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Dalurband OCP	Road	N/A	G4	G4	-250 MM,STEAM	3549	4437	10000	3549	N/A	N/A	4068	Dalurband 60 tes. Road Weighbridge
SSAP	Rail	Dalurband OCP	G4	G4	-100 MM,STEAM	3549	4437	4000	3549	80%-100%	SSAP	4001	PAW II 100 tes RAIL Weighbridge.
		Khottadih OCP								0%-20%			

Auction Floor					
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price
Bankola E	21000	G4	STEAM	3549	4437

Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Khandra UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	1000	3549	N/A	N/A	4112	Khandra ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
UKA IV (Bankola Line II)	RAIL	Bankola UG	G4	G4	-100 MM,STEAM	3549	4437	20000	3549	5%-25%	RLB2	4001	Andal Railway Weigh Bridge: 140 TE
		Kumardihi A UG								5%-25%			
		Khandra UG								5%-25%			
		Shyamsundarpur UG								45%-65%			

Auction Floor					
Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price
Bankola H	56000	G4	STEAM	3549	4437

Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Kumardihi B UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	8000	3549	N/A	N/A	4117	NAKRKONDA KUM-B UG ROAD WEIGHBRIDGE, CAPACITY: 60 TONNES
POCP II	Rail	Nakrakonda Kumardihi-B CM	G4	G4	-100 MM,STEAM	3549	4437	48000	3549	40%-60%	RWJ2	4001	PAWI RAIL WEIGHBRIDGE; CAPACITY: 140 TE
		Nakrakonda Kumardihi OCP								40%-60%			

Auction Floor													
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
New Kenda OC (H)	27000	G4	-100 MM,STEAM	3549	4437								
Cluster Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
New Kenda OC (H)	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	15000	3549	N/A	N/A	4319	Bahula 1 Road WB, 60 te(9x3)
MCSP/Pure Jambad Siding	Rail	Chora 7/9 UG	G4	G4	-100 MM,STEAM	3549	4437	12000	3549	0%-20%	MCSP	4001	Sonachara Rail In Motion WB, 140 te
		Chora 10 UG								0%-20%			
		New Kenda OCP								80%-100%			

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Bansra C	38000	G5	STEAM	3267	4084								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Northsearsol OCP (D)	Road	N/A	G5	G5	-100 MM,STEAM	3267	4084	10000	3267	N/A	N/A	4363	60MT Road WB, Adjacent to NSOCP
TOP-I (BNS) / Bansra	RAIL	Bansra UG	G4	G5	-100 MM,STEAM	3549	4437	28000	3267	0%-20%	RKN2	4001	SONACHARA Rail In Motion WB, CAP:140 TES
		Kunustoria UG								0%-20%			
		Amritnagar UG								0%-20%			
		North Searsole OC								80%-100%			
			G5			3267	4084						

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Satgram-Sripur A	5500	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Nimcha UG	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	1500	3549	N/A	N/A	4412	Near Nimcha Siding, Capacity-60 Te
NMCL	RAIL	Nimcha UG	G4	G5	-100 MM,STEAM	3549	4437	4000	3267	0%-20%	NMCL	4001	Nimcha UP 140 MT Railway WB
		Kalidaspur UG								0%-20%			
		Amkola OC								80%-100%			
		Nimcha Highwall								0%-20%			
			G5			3267	4084						

Auction Floor													
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
SATGRAM-SRIPUR D	27000	G4	-100 MM,STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Bhanora OC (Charanpur) Patch	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	7000	3549	N/A	N/A	4469	Road WB, Charanpur OCP, Capacity-60 te
JNCN	Rail	Satgram Incline UG	G4	G4	-100 MM,STEAM	3549	4437	20000	3549	0% - 20%	JNCN	4001	J K Nagar Railway Weigh Bridge, Cap: 140TE
		Satgram Project UG								0% - 20%			
		Chapuikhas UG								0% - 20%			
		JK Nagar UG								0% - 20%			
		Pure Searsole UG								0% - 20%			
		Bhanora West Block UG								0% - 20%			
		Bhanora OC (Charanpur)	80%-100%										
SSI (Ningha) OC	G5	3267	4084	0%-20%									

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Sodepur A	14500	G4	STEAM	3549	4437								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Narsamuda	Road	N/A	G4	G4	-100 MM,STEAM	3549	4437	2500	3549	N/A	N/A	4569	Narsamuda Road WB, 50Te
ASCR	RAIL	Dhemomain Pit	G4	G4	-100 MM,STEAM	3549	4437	12000	3549	0%-20%	ASCR	4001	Radhanagar 140MT Rly. WB
		Dhemomain Incline								0%-20%			
		Narsamuda								10%-30%			
		Parbelia								10%-30%			
		Patmohna								0%-20%			
		Methani								10%-30%			
		Bejdih	G5	3267	4084	0%-20%							

Auction Floor													
Cluster Name	Total offer of Cluster	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Salanpur C	200000	G9	STEAM	1772	1772								
Cluster Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation capacity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Gourandih Begunia OC	Road	N/A	G9	G9	-100 MM,STEAM	1772	1772	100000	1772	N/A	N/A	4515	2 Nos. 60 Tonnes WB
Dalmiya Siding	Rail	Gourandih Begunia OC	G9	G9	-100 MM,STEAM	1772	1772	100000	1772	100%	DEGS	4001	Dalmiya EIM WB, Cap: 140 tes

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
Mugma D	6100	W04	STEAM	2883	3604								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Nirsa OC	Road	N/A	W04	W04	-250 MM,STEAM	2883	3604	2100	2883	N/A	N/A	4620	Nirsha OC Weighbridge (Capacity 60MT)
MMU IIIA / PMCS	RAIL	Nirsa OCP	W04	W04	-100 MM,STEAM	2883	3604	4000	2883	0%-20%	PMCS	4001	Pandra Rail Weighbridge, Capacity: 100 MT
		Lakhimata UG								0%-20%			
		Chapapur OC	55%-75%										
		Barmuri OC	10%-30%										
			G5			3267	4084						

Auction Floor													
Name	Total offer	Representative Grade	Representative Size	Notified price of representative grade incl. STM charges	Floor Price								
S P Mines A	14000	G3	STEAM	3710	4638								
Offer Description													
Loading Points	Mode	Feeding Collieries	Grade	Representative Grade	Size	Notified/Modulated price (Rs/te) incl. STM charges	Reserve Price	Evacuation quantity under offer (tes)	Notified/Modulated price (Rs/te) of representative grade incl. STM charges	Supply Pattern from feeding Collieries	SAP Siding Code	SAP Plant code	Weighbridge Details
Chitra OC	Road	N/A	G3	G3	-250 MM,STEAM	3710	4638	10000	3710	N/A	N/A	4662	Chitra Road WB 60 Te
JMT/CCSJ	RAIL	Chitra OC	G3	G3	-100 MM,STEAM	3710	4638	4000	3710	100%	CCSJ	4001	Jamtara Rail In Motion WB 140