

**Note # 1**

GeM Bid No.GEM/2025/B/6059548 dt.15.03.2025 [Page 66-88](#) with end date 05.04.2025 for Procurement for Establishment of Integrated Command & Control Centre (ICCC) in ECL.

Against the GeM bid, 67 Nos. representations [Page 1-65](#) have been received through GeM portal.

***Reply against all the GeM bid representations are required to be uploaded at least 72 hours before the bid end dt. 05.04.2025 at 9.00 PM.***

*Therefore, file may be forwarded to HOD (E&T) for providing suitable reply against technical representations received through GeM portal expeditiously on priority basis.*

**Note-** Main e-office no. 1593800 related to Procurement for Establishment of Integrated Command & Control Centre (ICCC) in ECL is currently with E&T Deptt therefore, this new e-office file has been created and same shall be linked with main case file.

**24/03/2025 12:52 PM**

**ABDUL WAKAR  
DEPUTY MANAGER(MM)**

---

**Note # 2**

**24/03/2025 12:58 PM**

**PRONAB BISWAS  
MANAGER(MM)**

---

**Note # 3**

**24/03/2025 01:25 PM**

**RAJESH KUMAR PANDEY  
GENERAL MANAGER(MM)**

---

**Note # 4**

In response to the clarifications/ queries received from the prospective bidders, as per the note sheet and its attachments, following is the reply from this department

	Clarification/ Queries	Related	Modificati	Justificat
--	------------------------	---------	------------	------------

SN	sought	Clause	on (Yes/No)	ion (if Yes)	Reply
1.	<p>Tender Clause: - Cyber-Security- The IP cameras offered must comply with essential requirement (ERs) for security prescribed by MeitY as amended from time to time and should have security testing certificate for the offered IP cameras issued by STQC Laboratory or any other agency notified by MeitY from time to time, at the time of supply. The bidder is required to submit an undertaking along with the bid that the security testing certificate for the offered IP cameras issued by STQC Laboratory or any other agency notified by MeitY from time to time, shall be submitted at the time of supply.</p> <p>Suggestion: - As per MeitY notification dated 6th March 2024 STQC ER is mandatory from 3 month of Notification that is 6th June 2024 so this certificate should be applicable the time bidding not at the time supply. We request you please accept our suggestion</p>	<p>Clause no.: viii of Additio nal technic al require ment for CCTV and NVR at clause no.: 19 of technic al specific ations at page no.: 32</p>	NO	-----	No Changes. As per GeM bid
	Sir please clarify in YES or NO:				

2.	<p>Will a camera having quad streaming capability with support for at least one stream (but not all) supporting 25fps at H.265 compression be considered to meet quad streaming requirements mentioned in the NIT: "Streaming Capability: Quad streaming with any stream capable of H.265 Compression with minimum 25 FPS" (for example 11.5, 5 MP IP Bullet requirements)</p>	<p>Clause no.: 11.5, 12.5, 13.5 and 14.5 of technical specifications at page no.: 25, 26, 27</p>	NO	-----	YES
3.	<p>Page 50 of 142 SOW-ATC Document The ICCC at ECL HQ shall be continuously monitored 24x7 by trained Service Personnel of the supplier. The successful bidder shall deploy 3 operators for round-the-clock. Please confirm if our understanding is correct: We need to consider three operators, with one operator assigned to each shift, covering a total of three shifts.</p>	<p>Clause no.: D.3) of scope of work at page no.: 50</p>	NO	-----	YES
	<p>PRICE: The quoted amount will remain fixed for the entire contract's duration. The rates for each item offered in this tender will apply to any future procurements, should ECL require additional materials during the</p>				

4.	<p>warranty and CAMC period. However, any reduction in material rates must be passed on to ECL. The contract period is for 6 years, including the warranty and CAMC period.</p> <p>Given the fluctuations in the dollar and inflation, it is not feasible to maintain the same price for the The contract period is for 6 years, including the warranty and CAMC period.</p> <p>Given the fluctuations in the dollar and inflation, it is not feasible to maintain the same price for the entire duration of the contract This could become a significant barrier for bidders. We kindly request the department to consider extending the price validity until the project handover only</p>	<p>Clause no.: E.16 of scope of work at page no.: 59</p>	NO	-----	No Changes. As per GeM bid
5.	<p>Payment Terms 80% Payment of equipment cost will be paid after successful supply of all the equipment and accessories and 100% taxes and duties and other charges shall be made within 21 days after receipt and acceptance of items with all accessories by the consignee and also receipt and</p>	<p>Clause no.: E.46 of scope</p>	NO	-----	No Changes. As per GeM

	acceptance of Security Deposit Performance Bank guarantee (as specified in the tender document) by ECL Due to the large quantity of materials and varying lead times for each product, we kindly request the department to consider releasing payments on a pro-rata basis	of work at page no.: 67			bid
6.	Service Level Agreement & Penalty For availability falling below 75% the maximum penalty amount for that month will be imposed i.e., total CAMC value per month. We request that the penalty during the maintenance period be capped at a maximum of 20% of the CAMC value per month	Clause no.: G.7.iii of scope of work at page no.: 79	NO	-----	No Changes. As per GeM bid
7.	Liquidated Damage LD@ 0.5% of the contract value of delayed quantity per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value of delayed quantity without any controversy/dispute of any sort whatsoever. We request that the maximum liquidated damages (LB) amount be capped at 5% of the contract value. The same condition	Clause no.: 7.Q of bid at page no.: 19	NO	-----	No Changes. As per GeM bid

	has been considered in the ongoing WCL ICCO Project				
8.	The price bid format given does not have space holder for AMC period. Please share the price bid format with placeholder for AMC period.	BOQ			To be Provided by MM Department
9.	Please clarify if the evaluation of bid will be on the basis of NPV	BOQ			To be Provided by MM Department
10.	The CCTV cameras will be connected to the existing Network Video Recorder (NVR) wherever available. In cases where spare ports in the existing NVRs are unavailable, the cameras will be connected to the tendered 4-channel NVR in consultation with Area E&T Engineer.  Kindly share the details of existing NVR details	Clause no.: B.4.a.ii of scope of work at page no.: 6	NO	-----	Make: IDIS Model: DR-2504P, DR-2508P, DR2516P, DR-6532PS
	The existing network connectivity and infrastructure up to the Area Control Room will be utilized for monitoring and integration. The bidder is required to utilize this existing infrastructure while installing the CCTV cameras. This includes the use of components such as cables, radios, UPS systems, racks, power				Sparable ports if available will be provided. In

11.	<p>conditioning equipment (including voltage stabilizers, power surge protectors, MCBs, and earthing), among others, to supply power and ensure connectivity of the CCTV cameras with the ECL network for both local and centralized viewing at the Area Control Room</p> <p>sufficient data Ports, LIUs &amp; Power sockets are made available at existing infrastructure. Required Bandwidth will be available on existing data network including switches. Kindly clarify</p>	<p>Clause no.: B.4.a.iii of scope of work at page no.: 6</p>	NO	-----	<p>case of unavailability of the sparable ports the tendered 8 port POE switch will be installed as per the requirement</p>
12.	<p>The bidder shall be responsible for the operation and maintenance of the CCTV cameras, including addressing any breakdowns caused by faults in the existing infrastructure, without any additional cost to ECL The bidder must ensure that all systems remain fully operational in accordance with the Service Level Agreement (SLA) for their intended purpose and provide continuous support throughout the 6-year contract period.</p> <p>Existing infrastructure</p>	<p>Clause no.: B.4.a.iv of scope of work at page no.: 6</p>	NO	-----	YES

	like active components are under warranty/AMC and in good condition. If any devices or equipment are in not working condition will be replaced by ECL. Kindly Clarify				
13.	<p>The CCTV cameras, excluding those at Rajmahal Area, SP Mines Area, Sonepur Bazari Area, ECL HQ with associated units, and Kalla Hospital, will be integrated with the existing Video Management Software (VMS) (Make: IDIS, Model: ISS - I NEX) at each respective Area Control Room. The supplied CCTV cameras must be compatible with the existing VMS, and the bidder is responsible for providing the necessary support for integration. The associated licenses for the VMS will be provided by ECL.</p> <p>We request you to share the list of compactable OEM's and Version of ISS NEX. We assume required video data storage space at existing system. Kindly clarify</p>	<p>Clause no.: B.4.a.v of scope of work at page no.: 6</p>	NO	-----	It is in the scope of bidder to asses such requirements
	viii The CCTV cameras, NVRs, and monitor will draw power from the	<p>Clause no.:</p>			

14.	existing UPS and Switches wherever available.  We assume existing UPS has additional/ Required KVA for New system. Kindly clarify	B.4.a.vi ii of scope of work at page no.: 7	NO	-----	YES
15.	Page 119: ix. Following are the locations for installation of new CCTV Cameras and integration of existing CCTV cameras is mentioned below:  Existing IP Based Kindly share the existing IP camera details	Clause no.: B.4.a.x of scope of work at page no.: 7	NO	-----	The cameras varies from 2 MP to 4 MP and are available with ONVIF support
16.	It is the responsibility of the bidder to connect and integrate the CCTV Surveillance system to the nearest MPLS-VPN location through wired/wireless media using the existing resources wherever applicable.  We assume MPLS-VPN routers/Switches shall have enough data port for the connectivity and IP scheme/ VPN configuration shall be done by ECL Kindly clarify	Clause no.: B.5.r of scope of work at page no.: 21	NO	-----	Sparable ports if available will be provided. In case of unavailability of the sparable ports the tendered switches will be installed as per the requirement  The IP scheme will be provided by ECL
	Additionally, the bidder must integrate the existing "Weighbridge Automation System" with the other two systems, utilizing the current hardware				The other two systems "Access Control System" and "Truck Centering System" will

17.	<p>without the maintenance and operation of current hardware, but with supplying, installing, and maintaining new weightment client application software to ensure the systems operate in an integrated and synchronized manner. The bidder will assume full responsibility for the operation of all the systems.</p> <p>Integration of Existing WAS systems will through API /SDK. ECL will share the required format for integration. Kindly clarify</p>	<p>Clause no.: C.4 of scope of work at page no.: 23</p>	<p>NO</p>	<p>-----</p>	<p>be implemented by the successful bidder as well as new software is to be provided by the bidder for Weighbridge Automation System hence the integration of the Weighbridge Automation system with these two systems will be under the scope of the bidder. ECL will not provide any API/SDK</p>
18.	<p>GPS-based vehicle tracking system SAP-ERP System Upcoming Systems We assume required licenses &amp; Support shall be provided. Required Internet and</p>	<p>clause no.: 6, table row no.: 04 of scope of work</p>	<p>NO</p>	<p>-----</p>	<p>Please refer to clause no.: 6, table row no.: 04 of scope of work at page no.: 29, as per which</p> <p>“The bidder will be responsible for the development, customization, and implementation of these integrations during the contract period of six years without additional cost to ECL. The</p>

	interface for VTS will be provided by ECL. Kindly clarify	at page no.: 29,			ECL will provide necessary support in obtaining the APIs from the relevant government platforms and will bear any transaction fees associated with using these government portals/ platforms.”
19.	The system must be customizable, upgradeable and capable to Incorporate new functionalities to meet ECL’s specific requirements, all without incurring additional costs during the 06-year contract period. It is very difficult to offer the prices for 6 years without knowing the future subsystems. it is an open-end requirement. Kindly quantify	Clause no.: C.7 of scope of work at page no.: 29	NO	-----	No Changes. As per GeM bid
20.	The client applications must be time-synced with central server. Syncing and replication of central database and timing with client application (at sites) should be done on regular intervals as per the schedule provided by ECL  We assume NTP	Clause no.: 10.b.i.7 of scope of work at page no.: 32	NO	-----	The necessary interface if required by the bidder will be under the scope of the bidder

	server interface provided by ECL Kindly clarify				
21.	Bidder must submit all the software with source code used in the system in soft copy /CD ROM and all manuals for maintenance, administration (2 hard copy & 2 soft copy) at the time of commissioning.  OEM don't share the original source code. They can able to provide only modified or tailormade template created for ECL Kindly accept.	Clause no.: 10.b.i.3 3 of scope of work at page no.: 35	Yes	For wider participation	The modified clause is:  Bidder must submit all the software with source code/ related APIs and SDKs used in the system and all manuals for maintenance, administration whenever required by ECL in the contract period of 06 years
22.	1 In ECL Road Weighbridges the platform size varies from 9 meter to 16 meter. Kindly share us the qty of platform size	Clause no.: 10.b.iii.1 1 of scope of work at page no.: 37	Yes	For more clarity	The modified clause is:  In ECL Road Weighbridges the platform size varies from 9 meter to 16 meter. The Existing 9 mtrs are 85 nos., Existing 16 mtrs = 33 and All upcoming are of 16 mtrs and are 35 nos.
	FASTag and Vahan portal-based solution may also be used in addition to the				Please refer to clause no.: 6, table row no.: 04 of scope of work at page no.: 29, as per which  "The bidder will be

23.	<p>proposed RFID based system for optimal results and reduced congestions through future integration with the Govt. Portals. It may be noted that FASTag solution will only work for vehicles/equipment with a FASTag. For this, any kind of integration with NHA/NPCI etc. shall be taken care by the bidder which shall be covered in the scope of successful bidder.</p> <p>NHA/NPCI integration shall be done by bidder, required license, Api/SDK will be provided by ECL</p>	<p>Clause no.: 11.b.viii of scope of work at page no.: 43</p>	<p>NO</p>	<p>-----</p> <p>responsible for the development, customization, and implementation of these integrations during the contract period of six years without additional cost to ECL. The ECL will provide necessary support in obtaining the APIs from the relevant government platforms and will bear any transaction fees associated with using these government portals/platforms.”</p>
				<p>Please refer to clause no.: E.13, of scope of work at page no.: 59, as per which</p> <p>ECL has considered all equipment for fulfilment of objectives of the system. However, if any items/equipment/system is</p>

24.	General LIU, Patch cord, HDPE, PVC, GI/DWC pipes are required. No details/Qty is not mentioned in Tender. Kindly share	clause no.: E.13, of scope of work at page no.: 59, as per which	NO	-----	required in addition to the equipment mentioned in the bid document for fulfilment of the objectives, the same should be supplied, installed, and maintained by the Successful Bidder at its own cost. Hence all such items/services which are not included in the bill of materials, but may be required during installation & commissioning, shall be provided by Successful Bidder without any additional cost to ECL
					YES.  Please also refer clause no.: D8.(i), at scope of work page no.: 56, as per which in case the bidder is unable to integrate the existing VMS, they must deploy their

25.	Enterprise CVMS (per Camera's license) - 705 Qty We assume remaining qty of VMS license shall be provided by ECL. Kindly clarify	BOQ item no.: 28	NO	-----	own VMS including {CVMS license for existing cameras (1144 Nos.) as well as for CCTV Cameras for Biometric Machines (330 Nos.)} while utilizing the existing infrastructure at the Areas and ECL HQ (including Server Storage, NAS, etc.) to ensure seamless integration
26.	General Cyber components (ie. NGFW,2FA, AV) are not provided in tender. We assume existing data network is protected with cyber. Kindly clarify	-----	NO	-----	Under the scope of ECL
	Integrated Command and Control Centre (ICCC) software platform "Platform shall have Map view widgets with support of different base maps and additional map layers imposed on the base map.' Maps will be provided by ECL.  Kindly Clarify SMS/WhatsApp gateway will be provided by the successful bidder/service	Clause no.: 1.77 of technical specifications at page no.: 5  Clause no.:			1) No changes. As per requirement  2) It should support the highest resolution,

27.	<p>provider. Kindly share us the tentative Bulk SMS required.</p> <p>23. Video Storage "1. Populated with 120TB or more Usable Space from Day 1 and can be upgradable up to 160 TB with hot-swap storages.'</p> <p>Kindly share the video storage recording parameters</p> <p>66. AUDIO SYSTEM ALONG WITH ALL HARDWARE &amp; SOFTWARE ACCESSORIES</p> <p>General Kindly share us the specifications</p>	<p>23.1 of technical specifications at page no.: 34</p> <p>Clause no.: 66 of technical specifications at page no.: 62</p>	NO	-----	<p>frame rate (FPS), and compression standards as available in CCTV cameras for optimal video quality, performance, and storage efficiency.</p> <p>3) as per the specifications</p>
28.	<p>The tender has been released in the product bid category of GEM. The bid will have multiple products. Please confirm the product which needs to be created on GEM for submission of bid</p>	GeM Bid	NO	-----	<p>The tender has been published in custom bid category. The bidders are requested to bid accordingly</p>
29.	<p>PRE-QUALIFICATION CRITERIA The experience of only those orders/contracts would be considered for assessing experience criteria which have been commissioned for 05 years period prior to the date of opening of tender as per the following criteria:</p>	<p>Note parts of Clause no.: H.1.a) of scope</p>	NO	-----	<p>Please refer to Note parts of Clause no.: H.1.a) of scope of work</p>

	<p>We are considering that the completion of project should be within 5 years d prior to the date of opening of tender. Please clarify if our understanding is correct or not</p>	of work at page no.: 81			at page no.: 81
30.	<p>BID SPECIFIC ATC, Page-80 (Page Ref.) H. ELIGIBILITY CRITERIA &amp; PROVENNESS CRITERIA (Heading) 1. PRE-QUALIFICATION CRITERIA a) EXPERIENCE CRITERIA The definition of Similar work shall be as follows: (Details) "Successful Supply, installation, commissioning and maintenance of CCTV surveillance system or RFID based boom barrier system or RFID based weighbridge automation system or RF based LAN/WAN networking or Smart City Projects with ICCC or combination of any of these"</p> <p>Request to add "Any IT/ ITES related project.(Clarification/ Request to change) "Successful Supply, installation, commissioning and maintenance of CCTV surveillance system or RFID based boom</p>	<p>Note parts of Clause no.: H.1.a) of scope of work at page no.: 80</p>	NO	-----	No Changes. As per GeM bid

	barrier system or RFID based weighbridge automation system or RF based LAN/WAN networking or Smart City Projects with ICCC or Any IT/ITES related Project or combination of any of these				
31.	GeM Bid Document, Page-4 (Page Ref.) Bid Evaluation (Heading) L1 Basis (Details) Considering the nature of the project (both. Software and Hardware), it is requested to consider the evaluation method in QCBS methodology. This will help ECL to on-board qualified and experience bidder for successful execution of work. (Clarification/ Request to change)	GeM bid			To be Provided by MM Department
32.	BID SPECIFIC ATC, Page-67 (Page Ref.) 46. Payment Terms (Heading) i. 80% value of the equipment 100% taxes and duties and other charges shall be made within 21 days after receipt and acceptance of items with all accessories by the consignee and also receipt and acceptance of Security Deposit / Performance Bank guarantee (as specified in the tender document) by ECL (Details)  There are lot of OEM	Clause no.: 46 of scope of work at page no.: 67	NO	-----	No Changes. As per GeM bid

	products and volume is large. So request to consider the release of payment on the basis of partial delivery. (Clarification/ Request to change)				
33.	<p>BID SPECIFIC ATC, Page-68 (Page Ref.) 46. Payment Terms (Heading) ii. Balance 20% payment of the equipment and 100% of installation &amp; commissioning charges shall be released within 21 days from submission of bills after successful completion of installation, commissioning and acceptance of commissioned equipment at sites by respective Areas of ECL and subsequent issuance of certificate for final Installation, integration, commissioning and acceptance of the system for entire ECL by HOD (E&amp;T) ECL to their entire satisfaction based on acceptance certificate issued by Areas (Details)</p> <p>Request to consider the payment on mines/location wise. (Clarification/ Request to change)</p>	Clause no.: 46 of scope of work at page no.: 68	NO	-----	No Changes. As per GeM bid
	BID SPECIFIC ATC, Page-81 (Page Ref) i. PRE-QUALIFICATION CRITERIA b) FINANCIAL				

34.	<p><b>TURNOVER CRITERIA (Heading)</b>  The average annual financial turnover during the last 3 (three) years ending 31st March of the previous financial year should be at least 30% of the estimated cost of the tender. The "Previous Financial Year" shall be computed with respect to the publication date of the tender (Details)</p> <p>Considering the nature and estimate of project, it is suggested to on-board experienced System Integrator, who will be financially strong to execute the work smoothly. So request to consider the below financial turnover. The average annual financial -turnover during the last 3 (three) years ending 31st March of the previous financial year should be at least 150 Crores. The "Previous Financial Year shall be computed with respect to the publication date of the tender. (Clarification/ Request to change</p>	Note parts of Clause no.: H.1.b) of scope of work at page no.: 81	NO	-----	No Changes. As per GeM bid
	Additional to be added: (Requesting to Add) Consider the nature of project, the System integrator must have necessary security and				

35.	compliance certificate to address the data security and policy. So please consider the below as Pre-qualification CERTIFICATION CRITERIA The bidder should possess the following certifications, valid at the time of bidding: a. 130 9001:2015 b. ISO 27001 c. ISO 20000 d. ISO 14001 e. CMMI SVC/3	Additional clauses requested by the bidder	NO	-----	No Changes. As per GeM bid
36.	BID SPECIFIC ATC, Page-82 (Page Ref) 2. PROVENNESS CRITERIA (Heading) Additional to be added (Details) Considering the nature of work, the System Integrator should have basis technical qualifications and there must be some bench mark for qualification. So request to consider the scoring methodology for evaluation	Additional clauses requested by the bidder			To be Provided by MM Department
37.	BID SPECIFIC ATC, Page-82 (Page Ref.) 2. PROVENNESS CRITERIA (Heading) Additional to be added Please consider the evaluation method as QCBS to on board an experienced System Integrator_ Technical Scoring = 70% Financial Scoring = 30% (Clarification/ Request to change)	Additional clauses requested by the bidder			To be Provided by MM Department
	BID SPECIFIC ATC, Page-90 (Page Ref.)				

38.	<p>Document to be submitted by bidder (Details) 9.C. MTCTE/TEC ER certificate for i. Switches: (i) 24 Port Layer 2 Managed Switch, (ii) 8 port unmanaged gigabyte switch, (iii) Industrial 8 Port POE Switch, (iv) 16 port POE managed Switch, and (v) O8 port managed Switch. The certificate should be submitted for the offered product or any product from the offered product family/ product series against requirement of switches ii. Armoured Optical Fibre cable iii. Radios: (i) CPE Radio. (ii) PTP radio, and (iii) Point to multipoint Radios</p> <p>As the certificate indicates to single OEM we request you to accept the MTCTE/TEC ER/or any similar certificate. (Clarification/ Request to change)</p>	Clause no.: J.9.c) of scope of work at page no.: 90	NO	-----	No Changes. As per GeM bid
39.	<p>BID SPECIFIC ATC, Page-91 (Page Ref.) Document to be submitted by bidder (Details) 9_d) Confirmation to the latest version of ETSI/FCC/IEEE &amp; ETA / TAC (Type Approval Certificate) approval of WPC for Radios: (i) CPE Radio, (ii) PTP radio, and (iii) Point to</p>	Clause no.: J.9.d) of scope of work	NO	-----	No Changes. As per GeM bid

	Multipoint Radios As the certificate indicates to single OEM we request you to to accept the Similar certificate with validity. (Clarification/ Request to change)	at page no.: 91			
40.	GeM Bid Document, Page-2 (Page Ref.) Estimated Bid Value (Heading) 85,64,88,025/- (Details) is the estimate cost is inclusive of taxes and duties? (Clarification/ Request to change)	GeM bid page no.: 02			To be Provided by MM Department
41.	GeM Bid Document. Page-1 (Page Ref.) Bid Details (Heading) Bid End Date/Time: 05-04-2025 21:00:00 (Details) Considering the project scope of work and the involvement of multiple OEM, it is not possible to submit the proposal by 05th April 2025. Again, there is no Pre-bid date is defined in the bid. Please extend the bid for atleast 25-30 days from the date of getting clearance of the Pre-bid queries. (Clarification/ Request to change)	GeM bid page no.: 01	NO	-----	Noted
	BID SPECIFIC ATC Page-58 (Page Ref.) E.5. Managed Bandwidth Services: (Heading) ECL utilizes two types of networking				

42.	<p>connectivity: MPLS-VPN and Point-to-Point managed bandwidth services. The MPLS-VPN network, with lower bandwidth, connects ECL HQ, Area Offices, and mines, enabling seamless communication between all locations. It will be used for the Access Control System at Entry-Exit Check posts and the Weighbridge Automation System at road weighbridges. On the other hand, the Point-to-Point managed bandwidth services, which offer higher capacity, provide separate connections between the Mines and Area Offices, and between the Area Offices and ECL HQ, specifically designed to transmit video footage from CCTV cameras. (Details)</p> <p>Is the bidder has to provide the connectivity from ECL HQ to Mines along with Internet? If yes, then please provide requirements. (Clarification/ Request to change</p>	<p>Clause no.: E.5 of scope of work at page no.: 58</p>	NO	-----	NO
	<p>Page no.25 Item No. 11. 5 MP IP Bullet Camera (Motorized vari-focal lens) for ANPR with License</p>				

43.	<p>cost SR. No. (5) Streaming Capability: Quad streaming with any stream capable of H.265 Compression with minimum 25 FPS Request you to consider Streaming Capability "3 Video Streaming with 8 configurable profile and any stream capable of H.265 Compression with minimum 25 fps." This change will fulfil the functional and technical requirements of the project</p>	<p>Clause no.: 11.5, 12.5, 13.5 and 14.5 of technical specifications at page no.: 25, 26, 27</p>	NO	-----	No Changes. As per GeM bid
44.	<p>Page 5 - The bidder will be responsible for the development, customization, and implementation of these integration during the contract period of six years without additional cost to ECL. The ECL will provide necessary support in obtaining the APIs from the relevant platforms to be integrated with this system.</p> <p>Query/suggestions: This is very open ended. Please put a maximum cap on this so that commercials can be decided</p>	<p>clause no.: 6, table row no.: 04 of scope of work at page no.: 29</p>	NO	-----	No Changes. As per GeM bid
	<p>Page 6 - The bidder shall be responsible for the operation and maintenance of the CCTV cameras, including addressing</p>				

45.	<p>any breakdowns caused by faults in the existing infrastructure, without any additional cost to ECL. The bidder must ensure that all systems remain fully operational in accordance with the Service Level Agreement (SLA) for their intended purpose and provide continuous support throughout the 6-year contract period.</p> <p>Query/suggestions: The bidder cannot be responsible for SLA of other equipment not part of RFP</p>	<p>Clause no.: B.4.a.iv of scope of work at page no.: 6</p>	NO	-----	<p>The bidder is responsible for SLA of tendered items only</p>
46.	<p>Page 16 - The CCTV cameras at these locations will be integrated with the tendered VMS to be supplied by the bidder, including the associated license costs, which fall under the bidder's scope. This integration will also apply to the cameras installed at Biometric Attendance Points, with the corresponding license costs included. These license costs have already been accounted for in the Bill of Quantities (BOQ).</p> <p>Query/suggestions: license cost of existing VMS supplier</p>	<p>Clause no.: B.4.b.iv of scope of work at page no.: 16</p>	NO	-----	<p>The VMS and license costs mentioned in this clause are related to SP Mines Area, Sonapur Bazari Area and ECL, HQ where new VMS and licenses will be provided by the successful bidder. The quantity and cost for the same is already included in the BOQ.</p> <p>Further the same is applicable for Rajmahal Area</p>

	would not be available to the bidder. It should be mentioned in the RFP /BOQ itself				as per clause no.: B.4.c.iv of scope of work at page no.: 19
47.	<p>Page 19-The bidder will be required to implement completely new network infrastructure in this location, as no existing infrastructure will be provided. The new network infrastructure shall integrate the new CCTV cameras to be supplied as per this tender as well as the existing CCTV cameras to the tendered VMS to be installed at Area Control Room of Rajmahal Area</p> <p>Query/suggestions: This is very open statement. We trust ECL must have considered, requisite hardware /software with associated Network cabling work in Bid BOQ to implement completely new network infrastructure as per site requirements. For integration existing IP CCTV, Camera, ECL to provide necessary technical support / API from existing OEM</p>	Clause no.: B.4.c.v of scope of work at page no.: 19	NO	-----	The estimated quantities have been made part of BOQ. The existing cameras shall be connected on ONVIF
	Page 35- Bidder must submit all the software with source code used in the system in soft copy /CD ROM and all manuals for				The modified clause is:  Bidder must

48.	<p>maintenance, administration (2 hard copy &amp; 2 soft copy) at the time of commissioning.</p> <p>Query/suggestions: Software is the intellectual Property Plights (IPR) of the OEM / Bidder and thus source code cannot be shared , however complete deployed software application with manuals shall be provided</p>	<p>Clause no.: 10.b.i.3 3 of scope of work at page no.: 35</p>	<p>Yes</p>	<p>For wider participation</p>	<p>submit all the software with source code/ related APIs and SDKs used in the system and all manuals for maintenance, administration whenever required by ECL in the contract period of 06 years</p>
49.	<p>Page 74 16. MANPOWER: - During the Warranty and CAMC periods, the vendor shall deploy a minimum of 14 Service Engineers to ensure the smooth operation of the system with on-site maintenance support (01 service engineer in ECL HQ and 13 Service Engineers at 13 Areas of ECL). The successful bidder will provide name and contact number of service engineers deployed including identity document. In the case of the deployed engineers on leave, it is the responsibility of the bidder to provide the substitute as required. Arranging accommodation for the service engineers is the responsibility of the bidder at their own</p>	<p>Clause no.: F.16 of scope of work at page no.: 74</p>	<p>NO</p>	<p>-----</p>	<p>The bidder shall quote their offer inclusive of such costs</p>

	cost.  Query/suggestions: Man power requirement not included in BOQ whereas Manpower is to be provided as per above bid clauses				
50.	Page 53 - Point to Multipoint Radios point 7. Throughput: 600 Mbps or more  Query/suggestions: This should be change to 500Mbps or more instead of 600Mbos or more	Clause no.: 52.7 of technical specifications at page no.: 53	NO	-----	No Changes. As per GeM bid
51.	Page 35 – 26. Network Management System  Query/suggestions: In order to select a robust scalable and proven NMS solution having successful deployment in government, we recommend the authority to consider this clause for incorporation: The proposed solution must have minimum 5 references of Government/PSU/Smart Cities. PO along with signoff documents needs to be submitted during bid submission"	Additional clauses requested by the bidder for the item no.: 26 at technical specification page no.: 35	NO	-----	No Changes. As per GeM bid
	Page 35- 26_ Network Management System  Query/suggestions: To ensure the selection of a robust, scalable, proven, and secure NMS solution that	Additional clauses			

52.	prevents data request tampering of SLA ed by metrics, we the authority recommend that the bidder incorporate for the the following clause: item The monitoring no.: 26 module of the at proposed solution technic must utilize a built-in, al enterprise-grade specific database (excluding ation RDBMS and open- page source options) to no.: 35 store data. This will provide full flexibility and control over the collected data while preventing tampering with SLA calculations		NO	-----	No Changes. As per GeM bid
53.	Page 35- 26_ Network Management System  Query/suggestions: In order to select a robust and secure solution for this requirement, we recommend the authority to consider this clause for incorporation: The Proposed NMS solution must be CIS certified for Internet Security compliances. Bidder to submit the CIS certificate of proposed solution during the bid submission.	Additio nal clauses request ed by the bidder for the item no.: 26 at technic al specific ation page no.: 35	NO	-----	No Changes. As per GeM bid
	Content of the RFP requiring clarification The server environment shall be capable of being proposed as a software only option that fully supports				

54.	<p>Microsoft cloud and virtualised environments to enable optional installation into a separate server location data centre provided by others.</p> <p>Clarification Sought: Request to amend the statement as "The server environment shall be capable of being proposed as a software only option that fully supports any Meity Approved cloud environments and virtualised environments to enable optional installation into a separate server location/ data centre provided by others." To accommodate non-Microsoft based technology vendors to participate in the Bidding process</p>	<p>Clause no.: 1.13 of technical specifications at page no.: 3</p>	NO	-----	No Changes. As per GeM bid
55.	<p>Content of the RFP requiring clarification: Operating System: Microsoft Windows 2019 (or latest) or equivalent</p> <p>Clarification Sought: Request to amend the statement as "Operating System: Microsoft Windows 2019 (or latest) / Linux. based or equivalent " To accommodate non-Microsoft based technology vendors to</p>	<p>Clause no.: 4.8 of technical specifications at page no.: 22</p>	NO	-----	No Changes. As per GeM bid

	participate in the Bidding process				
56.	<p>Content of the RFP requiring clarification: IIS performance counters like Request /sec, Request Wait Time Request Failed , Success Request etc.</p> <p>Clarification Sought Request to amend the statement as IIS Central Server / Web Server performance counters like Request /sec, Request Wait Time ,Request Failed , Success Request etc." To accommodate non-Microsoft based technology vendors to participate in the Bidding process_ It S is Microsoft based architecture</p>	<p>Clause no.: 1.276 of technical specifications at page no.: 14</p>	NO	-----	No Changes. As per GeM bid
57.	<p>Content of the RFP requiring clarification: Operator should be able to draw. a free hand shape on GIS map and should be able perform following functionalities:</p> <p>Clarification Sought Request to amend the statement as "Operator Administrator should be able to draw a free hand shape on GIS map and should be able to perform following functionalities: Allow the shape marking to be done by</p>	<p>Clause no.: 1.70 of technical specifications at page no.: 5</p>	NO	-----	No Changes. As per GeM bid

	Administrator so that they can be reused as regions by the ICCO operators. Operators may not have technical knowledge to mark shape and store them				
58.	1. MTBF Rating Requirement for CCTV Cameras & NVR • issue: MTBF reports are very large (100 + pages per camera), making submission impractical. The bidder is already submitting STQC ER & BIS certification and offering a 6-year (52,560 hrs) service guarantee. • Request: Accept an undertaking instead of requiring full MTBF reports, as STQC ER and BIS already establish product reliability.	Clause no.: J.12.a) of scope of work at page no.: 95	NO	-----	No Changes. As per GeM bid
59.	2_ RF Test Report for RFID Reader • issue The ETA (Equipment Type Approval) is issued by DoT based on RF test reports, making the submission of an additional 50+ page test report redundant. • Request: Accept ETA only instead of requiring the RE test report separately or provide an option to upload larger documents on GeM.	Clause no.: J.12.d) of scope of work at page no.: 95	NO	-----	No Changes. As per GeM bid
	RoHS Directive for Switches • Issue: RoHS compliance is already mandated, but	Clause no.:			

60.	additional documentation increases the administrative burden. • Request: Accept self-declaration or RoHS test report instead of additional documentation.	J.11.c) of scope of work at page no.: 95	NO	-----	No Changes. As per GeM bid
61.	4. CE/BIS Certification for Switches (Restrictive Clause) • Issue: o CE is a foreign standard, and BIS does not provide certification for switches in India. o The MTCTE ER (Mandatory Testing & Certification of Telecom Equipment) standard already covers all required tests. o Imposing CE certification makes compliance more restrictive and limits competition to foreign-certified OEMs, which is against the spirit of the Make in India initiative. Request: Remove the CE/BIS clause for switches, as MTCTE ER already includes all relevant testing	Clause no.: J.11.c) of scope of work at page no.: 94	NO	-----	No Changes. As per GeM bid
62.	7. BIS/NABL Certification Requirement • Issue: Clause 9(a) asks for BIS certification from a NABL-accredited lab, which increases documentation unnecessarily. • Request: instead of test reports, require	Clause no.: J.9.a) of scope of work at page no.: 90	NO	-----	No Changes. As per GeM bid

	only BIS certificates issued by the relevant department to reduce unnecessary paperwork				
63.	10. OEM Authorization for Multiple Agents • Issue: Clarification is needed on whether an OEM can authorize multiple bidders in the tender. • Request: Confirm if multiple agents can be authorized by the same OEM.	Clause no.: 7.K) of GeM bid page no.: 10			To be Provided by MM Department
64.	5. IEC 62368-1:2018 for Switches (Restrictive Cause) Issue: o IEC 62368-1:2018 is a CE requirement, whereas Indian regulations mandate MTCTE ER instead. o Additionally, ECL requires 60% local content, but this clause enforces European testing, which is restrictive. o This creates an unfair disadvantage for local manufacturers who comply with Indian standards but not CE • Request: Remove IEC 62368-1:2018 requirement, as it is an EMI/EMC safety test already covered under MTCTE ER.	Clause no.: 4 of additional requirement of switches in technical specifications at page no.: 49	NO	-----	No Changes. As per GeM bid
	6_ EMC & EMI Testing (EN 61000-4 Series + TEC Standard) • Issue: The following EMC/EMI standards are already covered under MTCTE ER				

65.	<p>certification: o EN 61000-4-2 (ESD Immunity) o EN 61000-4-3 (Radiated RE Immunity) o EN 61000-4-4 (EFT/Burst Immunity) o EN 61000-4-5 (Surge Immunity) o EN 61000-4-6 (Conducted RF Immunity) a EN 61000-4-8 (Power Frequency Magnetic Field Immunity) o TEC/SD/DD/EMC-221/05/OCT-16 (TEC EMC Standard)</p> <p>Uploading individual test reports will result in 500+ pages, which is unnecessary. Request: Accept MTCTE ER certification instead of individual test reports, as it already covers the required standards</p>	Clause no.: 4 of additional requirement of switches in technical specifications at page no.: 49	NO	-----	No Changes. As per GeM bid
66.	<p>8. Startup Exemptions &amp; Classification Requirement (Ref: Page 84 of ATC) • Issue:1. No clear mention of required documents for startup exemption. Z if ECL later allows startup bidders, it may create an unfair competitive disadvantage for existing bidders. No clarity on the classification required under Startup India/DPIIT registration to qualify for exemption. • Request 1. Specify upfront whether startups registered</p>				To be Provided by

	with DPIIT will be eligible for exemption. 2. If ECL intends to allow startup bidders, it should announce this before bid submission, so all participants compete under equal terms, a Clearly define which classification (sector; business activity category) under the Startup India/DPIIT registration will be accepted for exemption in this bid. 4. If no clear classification is provided, we will assume no exemption for startups in this bid.				MM Department
67.	9. MSME Exemption for integrated Command & Control Centre • Issue: The bid states that MSEs will be considered as per Public Procurement Policy 2012, but it is unclear whether Integrated Command & Control Centre (ICCC) services under MSME will qualify. Request Confirm whether ICCC under MSME will be considered for exemption.				To be Provided by MM Department

In furtherance to the above corrigendum as per follow is required.

1. The clause no.: C.10.b.i.33, at page no.: 36 of BID SPECIFIC ATC with Corrigenda, attached at [page no.: 188](#) needs to be modified for more clarity. The existing clause and modified clause are mentioned below

Existing Clause	Modified Clause

Bidder must submit all the software with source code used in the system in soft copy /CD ROM and all manuals for maintenance, administration (2 hard copy & 2 soft copy) at the time of commissioning	Bidder must submit all the software with source code/related APIs and SDKs used in the system and all manuals for maintenance, administration whenever required by ECL in the contract period of 06 years
---	---

2. The clause no.: C.10.b.iii.1at page no.: 38 of BID SPECIFIC ATC with Corrigenda, attached at [page no.: 190](#) and the distribution of quantities areas wise for 9 meter and 16-meter-long road weighbridge platform needs to be provided for more clarity. The same is mentioned at page no.: 38 of BID SPECIFIC ATC with Corrigenda, attached [page no.: 190](#). The existing clause and modified clause are mentioned below

Existing Clause	Modified Clause
In ECL Road Weighbridges the platform size varies from 9 meter to 16 meter. Accordingly, the successful bidder must implement a truck centering system to ensure proper alignment of trucks in the centre of the platform.	In ECL Road Weighbridges the platform size (in length) varies from 9 meter to 16 meter. The Existing 9 mtrs are 85 nos., Existing 16 mtrs = 33 and All upcoming are of 16 mtrs and are 35 nos. Accordingly, the successful bidder must implement a truck centering system to ensure proper alignment of trucks in the centre of the platform.

3. Distribution of bill of quantities for ECL, HQ and Sodepur Area, needs correction. The same is mentioned from page no.: 130 to 147 of BID SPECIFIC ATC with Corrigenda, attached from [page no.: 283 to 288](#) and [295 to 300](#) . The existing clause and modified clause are mentioned below

Existing Clause	Modified Clause
For Sodepur Area please refer <a href="#">page no.: 283 to 285</a>	For Sodepur Area please refer <a href="#">page no.: 286 to 288</a>
For ECL, HQ please refer <a href="#">page no.: 295 to 297</a>	For ECL, HQ please refer page no.: <a href="#">298 to 300</a>

4. The Input and output voltage mentioned in the Online UPS of 30 KVA is erroneous hence need to be modified. The same is mentioned at page no.: 23 of TECHNICAL SPECIFICATION DOCUMENT with Corrigenda, attached at [page no.: 111](#). The existing clause and modified clause are mentioned below

Existing Clause	Modified Clause

Input Voltage: AC three phase 300V-450V +/-10% 50Hz	Input Voltage: 380/400/415 VAC - 3Ph+N+Earth
Output Voltage: AC three Phase 230V +/-1% 50Hz	Output Voltage: 400 VAC +/-1%, 3-Ph+N+E (Settable to 380/400/415 VAC)

5. The switches 24 Port Layer 2, Managed switch, 08 port managed Switch and 16 port POE managed Switch, has missed the operating temperature rating specifications. The operating Temperature range is 0° to 50°C. The same is mentioned at page no.: 48 to 50 of TECHNICAL SPECIFICATION DOCUMENT with Corrigenda, attached from [page no.: 136 to 138](#). The existing clause and modified clause are mentioned below

Item	Existing Clause	Modified Clause
24 Port Layer 2, Managed switch	-----	Operating Temperature: 0° to 50°C
8 port unmanaged gigabyte switch	-----	Operating Temperature: 0° to 50°C
08 port managed Switch	-----	Operating Temperature: 0° to 50°C
16 port POE managed Switch	-----	Operating Temperature: 0° to 50°C

6. As per the gazette notification no.: CG-DL-E-22102024-258138, issued by DOT, subsequently forwarded by CIL HQ with its earlier version, the products, services or works listed in Table-A that have an associated TEC GR/IR, the procuring entity must specify the relevant TEC GR/IR as the minimum requirement. Hence, the offered switches shall conform to the requirements in respect of TEC GR/IR as per DOT Notification dated 21st Oct, 2024. The same has been incorporated at page no.: 50 of TECHNICAL SPECIFICATION DOCUMENT with Corrigenda, attached at [page no.: 138](#). The existing clause and modified clause are mentioned below

Existing Clause	Modified Clause
-----	The bidder shall submit self-certification from OEM that the offered managed switches shall conform to the requirements in respect of TEC GR/IR as per DOT Notification dated 21st Oct, 2024

The scope of work with corrigendum and technical specification with corrigendum is attached from [page no.: 152 to 303](#) and [89 to 151](#) respectively. Further the word files are attached in references section

Now, as there is modification in the technical specifications as mentioned

below, the proposal needs to be submitted to competent authority for approval technical specifications modifications as mentioned below please.

Item	Existing Clause	Modified Clause
Online UPS of 30 KVA	Input Voltage: AC three phase 300V-450V +/- 10% 50Hz	Input Voltage: 380/400/415 VAC -3Ph+N+Earth
Online UPS of 30 KVA	Output Voltage: AC three Phase 230V +/- 1% 50Hz	Output Voltage: 400 VAC +/- 1%, 3-Ph+N+E (Settable to 380/400/415 VAC)
24 Port Layer 2, Managed switch	-----	Operating Temperature: 0° to 50°C
8 port unmanaged gigabyte switch	-----	Operating Temperature: 0° to 50°C
08 port managed Switch	-----	Operating Temperature: 0° to 50°C
16 port POE managed Switch	-----	Operating Temperature: 0° to 50°C
For all Managed switches	-----	The bidder shall submit self-certification from OEM that the offered managed switches shall conform to the requirements in respect of TEC GR/IR as per DOT Notification dated 21st Oct, 2024

As per the DOP mentioned at clause no.: 4.1.2 and clause no.: 23.7, SN 1 of Purchase Manual 2020 & Amendment, the approval of the modification in the technical specifications comes under DOP of D(T)/P&P, ECL

Submitted to D(T)/ P&P, ECL for approval please.

Submitted to AF to HOD(E&T), for concurrence please before submission for approval please.

**02/04/2025 01:39 PM**

**RAMKRISHNA SAINIK  
CHIEF MANAGER(E&T)**

**Note # 5**

1. As per the DOP mentioned at clause no.: 4.1.2 and clause no.: 23.7, SN 1 of Purchase Manual 2020 & Amendment, the approval of the modification in the technical specifications comes under DOP of D(T)/P&P, ECL.
2. This proposal for minor deviation of standard NIT attracts approval of D(T)/P&P, ECL.

02/04/2025 03:37 PM

KAUSIK DAS  
CHIEF MANAGER(FINANCE)

**Note # 6**

As per Note#5 the proposal is being submitted for kind approval

02/04/2025 03:42 PM

RAMKRISHNA SAINIK  
CHIEF MANAGER(E&T)

**Note # 7**

Please discuss

02/04/2025 05:51 PM

GIRISH GOPINATHAN NAIR  
DIRECTOR(TECHNICAL/PROJECT & PLANNING)

**Note # 8**

Discussed.

The following modifications in the approved technical specifications are required as per the reasons mentioned

Item	Existing Clause	Modified Clause	Reasons for modification
Online UPS of 30 KVA	Input Voltage: AC three phase 300V-450V +/-10% 50Hz	Input Voltage: 380/400/415 VAC - 3Ph+N+Earth	The Input and output voltage mentioned in the Online UPS of 30 KVA is incorrect hence need to be modified
Online UPS of 30 KVA	Output Voltage: AC three Phase 230V +/-1% 50Hz	Output Voltage: 400 VAC +/-1%, 3-Ph+N+E (Settable to 380/400/415 VAC)	The Input and output voltage mentioned in the Online UPS of 30 KVA is incorrect hence need to be modified
24 Port Layer 2, Managed switch	-----	Operating Temperature: 0° to 50°C	The operating temperature rating was missed to specify
8 port unmanaged gigabyte switch	-----	Operating Temperature: 0° to 50°C	The operating temperature rating was missed to specify
08 port managed Switch	-----	Operating Temperature: 0° to 50°C	The operating temperature rating was missed to

16 port POE managed Switch	-----	Operating Temperature: 0° to 50°C	The operating temperature rating was missed to specify
For all Managed switches	-----	The bidder shall submit self-certification from OEM that the offered managed switches shall conform to the requirements in respect of TEC GR/IR as per DOT Notification dated 21st Oct, 2024	To comply with the gazette notification no.: CG-DL-E-22102024-258138, issued by DOT, dated: 21st Oct, 2024

The above modifications are related to subcomponents in this tender and the modifications are minor in nature

Now as per the clause no.: 10.16.1 of Purchase Manual, 2020 and ammendments, in case there are minor changes in the tender enquiry, corrigendum / amendment without issuing fresh tender may be issued. Please refer to [page no.: 307 to 308](#).

Further, as this requires modifications in the technical specification to the approved technical specifications, this needs approval of D(T)/P&P, ECL as per clause no.: 4.1.2 and clause no.: 23.7, SN 1 of Purchase Manual 2020 & Amendment. Please refer to [page no.: 306](#).

Submitted to D(T)/P&P, ECL for approval please.

**02/04/2025 06:33 PM**

**RAMKRISHNA SAINIK  
CHIEF MANAGER(E&T)**

**Note # 9**

Please comment

**02/04/2025 06:57 PM**

**GIRISH GOPINATHAN NAIR  
DIRECTOR(TECHNICAL/PROJECT & PLANNING)**

**Note # 10**

As confirmed in [Note#8](#) , the proposed modifications are [minor](#) in nature arising out of clarifications sought by prospective bidders. As per Purchase Manual, minor changes may be done in tender document without compromising transparency and level playing field and after ensuring adequate publicity of corrigendum.

Prospective bidders should get sufficient time to submit offer and accordingly, it has to be ensured that minimum 15 days time is available after issue of corrigendum.

As per Clause 4.1.2 & 10.4.6 of Purchase Manual, approval of Director(T) of subsidiary company is required for change in specification.

**03/04/2025 11:36 AM**

**RAJESH KUMAR PANDEY  
GENERAL MANAGER(MM)**

---

**Note # 11**

The proposed minor modifications, as recommended, 'Administratively Approved.'

**03/04/2025 12:38 PM**

**GIRISH GOPINATHAN NAIR  
DIRECTOR(TECHNICAL/PROJECT & PLANNING)**

---

**Note # 12**

submitted to MM department

**03/04/2025 12:43 PM**

**RAMKRISHNA SAINIK  
CHIEF MANAGER(E&T)**

---

**Note # 13**

**03/04/2025 01:10 PM**

**RAJESH KUMAR PANDEY  
GENERAL MANAGER(MM)**

---

**Note # 14**

Sub: Representation against GeM Bid No.GEM/2025/B/6059548  
dt.15.03.2025 for Procurement for Establishment of Integrated Command &  
Control Centre (ICCC) in ECL.

The subject bid is enclosed at note#1. The bid end date is on 05.04.2025.

Based on the 67 nos representations received against the bid as mentioned  
at note#1, the list of representations has been noted by E&T dept at note#4.

Against the representations received, the following are the representations  
which are commercial in nature. The reply to the commercial representations  
are mentioned as under,

SN	Clarification/ Queries sought	Reply
8	The price bid format given does not have space holder for AMC period. Please share the price bid format with placeholder for AMC period.	Please refer "Additional Clause For Comprehensive Maintenance Charges" of the Bid. The clause 8.1 of the CMC clearly stated that "The Seller while participating in Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected by Buyer".
	Please clarify if the evaluation	Please refer clause 4 of the CMC. It states that "Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula.

9	of bid will be on the basis of NPV	A 10% discounting rate per year shall be applied on CMC Charges for price evaluation on Net Present Value.”
31	GeM Bid Document, Page-4 (Page Ref.) Bid Evaluation (Heading) L1 Basis (Details) Considering-the nature of the project (both. Software and Hardware), it is requested to consider the evaluation method in QCBS methodology. This will help ECL to on-board qualified and experience bidder for successful execution of work. (Clarification/ Request to change)	QCBS Methodology is not applicable in the instant bid.
36	BID SPECIFIC ATC, Page-82 (Page Ref) 2. PROVENNESS CRITERIA (Heading) Additional to be added (Details) Considering the nature of work, the System Integrator should have basis technical qualifications and there must be some benchmark for qualification. So request to consider the scoring methodology for evaluation	The offer submitted by bidders shall be in compliance with all the technical and commercial terms of the bid.
37	BID SPECIFIC ATC, Page-82 (Page Ref.) 2. PROVENNESS CRITERIA (Heading) Additional to be added Please consider the evaluation method as QCBS to on board an experienced System Integrator_ Technical Scoring = 70% Financial Scoring = 30% (Clarification/ Request to change)	QCBS Methodology is not applicable in the instant bid.
40	GeM Bid Document, Page-2 (Page Ref.) Estimated Bid Value (Heading) 85,64,88,025/- (Details) is the estimate cost inclusive of taxes and duties? (Clarification/ Request to change)	The estimated cost of the bid is inclusive of all taxes & duties.
63	10. OEM Authorization for Multiple Agents • Issue: Clarification is needed on whether an OEM can authorize multiple	Yes, multiple agents can be authorized by an OEM. The provision of “Manufacturer’s Authorization For In

	<p>bidders in the tender. • Request: Confirm if multiple agents can be authorized by the same OEM</p>	<p>dian Agent” is mentioned at sl k of Buyer Added Bid Specific ATC.</p>
66	<p>8. Startup Exemptions &amp; Classification Requirement (Ref: Page 84 of ATC) • Issue:1. No clear mention of required documents for startup exemption. Z if ECL later allows startup bidders, it may create an unfair competitive disadvantage for existing bidders. No clarity on the classification required under Startup India/DPIIT registration to qualify for exemption. • Request 1. Specify upfront whether startups registered with DPIIT will be eligible for exemption. 2. If ECL intends to allow startup bidders, it should announce this before bid submission, so all participants compete under equal terms, a Clearly define which classification (sector; business activity category) under the Startup India/DPIIT registration will be accepted for exemption in this bid. 4. If no clear classification is provided, we will assume no exemption for startups in this bid.</p>	<p>Exemption for Startups for the bid items shall be as per Policy as detailed at sl I - “RELAXING PRIOR EXPERIENCE AND TURNOVER CRITERIA FOR START-UPS AND MSEs IN PUBLIC PROCUREMENT” of Bid Specific ATC</p>
67	<p>9. MSME Exemption for integrated Command &amp; Control Centre • Issue: The bid states that MSEs will be considered as per Public Procurement Policy 2012, but it is unclear whether Integrated Command &amp; Control Centre (ICCC) services under MSME will qualify. Request Confirm whether ICCC under MSME will be considered for exemption.</p>	<p>MSE policy for the bid item shall be as per the Public Procurement Policy 2012 as detailed at sl I - “RELAXING PRIOR EXPERIENCE AND TURNOVER CRITERIA FOR START-UPS AND MSEs IN PUBLIC PROCUREMENT” of Bid Specific ATC.</p>

Further against the representations received, E&T dept has revised the scope of work with corrigendum and technical specification as mentioned at [note#4](#) . For the revised scope of work and technical specification, approval has been accorded by D(T) P&P at note#11.

The above revised scope of work and technical specification are to be

uploaded against the bid by issuing a corrigendum.

As per clause 10.16.6 of CIL PM2020, 15 days time shall be available after issuance of corrigendum.

As such, the following proposal is submitted for kind approval of GM(MM-Pur)/HOD,

1. Submitting the reply to the commercial representations / clarifications on GeM portal as per clause 10.3.4 of CIL PM 2020.
2. By issuing the corrigendum, the bid end date is required to be extended so that 15 days time shall be available after issuance of corrigendum as per clause 10.16.6 of CIL PM2020. Since 15 days time is not available after issuance of corrigendum, as such, as per clause 10.17 of CIL PM 2020 approval is sought for extension of the bid end date upto 19.04.2025 at 11.00 hrs.

Submitted please,

**04/04/2025 11:00 AM**

**PRONAB BISWAS  
MANAGER(MM)**

---

**Note # 15**

Approved.

**04/04/2025 12:25 PM**

**RAJESH KUMAR PANDEY  
GENERAL MANAGER(MM)**

---

**Note # 16**

The bid end date has been extended upto 19.04.2025 at 11.00 hrs.

Also the corrigendum has been published against the GeM bid.

Considering the criticality of the tender, for adequate publicity of the corrigendum, it is proposed to provide information on ECL website as under,

**To be displayed on the “WHATS NEW” tab:**

Due date of ICCC tender extended

**The detailed content shall be as under,**

- GEM BID NO. GEM/2025/B/6059548 dt.15.03.2025 issued for Procurement for Establishment of Integrated Command & Control Centre (ICCC).
- A corrigendum has been issued against the GeM Bid.
- Bid end date extended upto 19.04.2025 at 11.00 hrs
- For further details, prospective bidder may visit GeM Portal.

Submitted for forwarding to GM(Sysems) for publishing the above details on ECL website.

**04/04/2025 01:02 PM**

**PRONAB BISWAS  
MANAGER(MM)**

---

**Note # 17**

Kindly arrange to display the [Notice](#) under "What's New" tab/section of ECL's Website.

**04/04/2025 01:07 PM**

**RAJESH KUMAR PANDEY  
GENERAL MANAGER(MM)**

---